

ENGINEERING PHYSICS 3W4

DAY CLASS

Dr. Wm. Garland

DURATION: 2 hours

Page 1 of 3

McMASTER UNIVERSITY FINAL EXAMINATION

April 2000

Special Instructions:

1. Closed Book. All calculators and up to 6 single sided (or 3 double sided) 8 1/2" by 11" crib sheets are permitted.
2. Do all questions.
3. The value of each question is as indicated.
4. Point form is sufficient for discussion type questions.


TOTAL Value: 100 marks

THIS EXAMINATION PAPER INCLUDES 3 PAGES AND 7 QUESTIONS. YOU ARE RESPONSIBLE FOR ENSURING THAT YOUR COPY OF THE PAPER IS COMPLETE. BRING ANY DISCREPANCY TO THE ATTENTION OF YOUR INVIGILATOR.


1. [15 marks] Define:
 - a. Linear system
 - b. Causal system
 - c. Time invariant system
 - d. Convolution integral
 - e. Autocorrelation

2. [20 marks] Graphically compute the convolution of the following function pairs:


a.




b.



c.



d.



3. [15 marks] Evaluate the following expressions:

a. Evaluate $\int_{-\infty}^{+\infty} \delta(-2t-1) \operatorname{sinc}(\pi vt) dt$

b. Evaluate $\frac{d}{dt} \Pi_a(t)$

c. Show that $t f(t) = \left(\frac{i}{2\pi}\right) \frac{dF(v)}{dv}$. [Don't panic; it's easy!]

4. [10 marks] Give brief answers to the following:

- In signal analysis, what is the advantage of reflecting a time signal about the origin?
- Show how the convolution integral results from making a measurement. Assume a linear, time invariant, causal system.
- Why are Fourier Transforms so useful when dealing with convolutions?
- Laplace and Fourier Transforms are similar. Why are Laplace transforms used more for solving differential equations and Fourier Transforms used more for signal analysis?

5. [10 marks] In the following, a proof is not required.

- What is the FT of $[a(t)*b(t) + c(t).d(t)]^2$
- What is the FT of $\Pi_2(t)$. Graph the result.
- What is the FT of $\exp(-\pi t^2)$?

6. [20 marks] An input step voltage, $V_0 u(t)$, is passed through an ideal low pass filter. V_0 is the magnitude of the voltage and $u(t)$ denotes the unit step.
- Sketch the input signal in time space.
 - What does the ideal low-pass filter look like in frequency space?
 - What does the ideal low-pass filter look like in time space?
 - By working only in time space, determine the output voltage.
 - What is the Fourier Transform of the input $V_0 u(t)$? We denote this as $V_0 \phi(v)$
 - What is the output voltage in frequency space, $Y(v)$?
 - By performing the Inverse Fourier Transform of $Y(v)$, determine the output voltage in time space, $y(t)$.
 - Referring to both the time space and the frequency space, describe briefly what happens to the signal as it passes through the filter.

7. [10 marks] We have shown that a sampled signal in frequency space is

$$\hat{S}(v) = \sum_{n=-\infty}^{+\infty} s(nT)e^{-2\pi i v n T}.$$

- Show that is a periodic function.
- Discuss the ramifications for setting the sampling rate.
- Find the critical sampling rate.

— END —